

# **MDN WORKSHOP 2013**

5-6 JUNE • EBU, GENEVA

#### **WEDNESDAY 5 JUNE**

10.15-11.15	Metadata Production Framework based on AVDP	Masanori Sano	NHK		
	The AudioVisual Description Profile (AVDP) is an MPEG-7 prof MIM/SCAIE project and became an ISO/IEC standard in 2012. model of Metadata Production Framework (MPF) V3.0, which is the environment where users can test, evaluate multimedia and metadata generation/supporting systems by utilizing the autom give an overview of how you can handle AVDP for this purpose	The AVDP has been adop has been proposed by NHK alyses, and build up practic atic information process. The	ted as a metadata (STRL for establishing al content-based his presentation will		
11.15-11.45	Tea, coffee & networking				
11.45-12.45	Exploiting Frame-based Metadata with Key-Value Stores	Alberto Messina	RAI		
	This talk will describe RAI's experiments with key-value stores metadata that have a temporal granularity comparable with the with descriptive metadata, frame-based metadata pose importe efficient access which should be managed with appropriate tec cases: fast access to distributed high quality material repositoring genres based on low-level features.	frame rate. Due to this nat ant issues in terms of storag hnological solutions. The ta	ure, and in contrast ge, memorization and alk will describe two us		
12.45-13.45	Lunch				
13.45-14.45	Nordif3: a data model for content exchange in Nordvision	Henrik Slåen Juan Pablo Albaladejo	NRK Tedial		
	The presentation will cover the data model defined in the Nordif3 project with special emphasis on the ingest and download mechanisms and the integration with each of the partners' MAM systems. In the Ingest Flow, this integration allows the partners to export materials out of their MAMs with their corresponding metadata and upload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and download it to its local network with the corresponding metadata, which will then be used to catalogue the material when ingesting it in the partner's MAM. Both types of exchange, ingest and download, are made possible regardless the different data models in use in each partner's MAM thanks to the standardization of the shared data model in Nordif3 using EBUCore.				
	download mechanisms and the integration with each of the par integration allows the partners to export materials out of their N upload it to the Nordif3 exchange platform. In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material wh exchange, ingest and download, are made possible regardless	tners' MAM systems. In the MAMs with their correspond. I load it to its local network ven ingesting it in the partnet the different data models is	ing metadata and with the corresponding er's MAM. Both types o		
14.45-15.15	download mechanisms and the integration with each of the par integration allows the partners to export materials out of their N upload it to the Nordif3 exchange platform. In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material wh exchange, ingest and download, are made possible regardless	tners' MAM systems. In the MAMs with their correspond. I load it to its local network ven ingesting it in the partnet the different data models is	ing metadata and with the corresponding er's MAM. Both types o		
14.45-15.15	download mechanisms and the integration with each of the par integration allows the partners to export materials out of their N upload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material wh exchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in	triers' MAM systems. In the IAMs with their correspond. Ioad it to its local network ven ingesting it in the partnet the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain	ing metadata and with the corresponding er's MAM. Both types o n use in each partner's EBU		
	download mechanisms and the integration with each of the par integration allows the partners to export materials out of their Nupload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material wheexchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in the tirst version was presented last year; the second version of the shared version of the second version of the shared version of the second version versi	triers' MAM systems. In the IAMs with their correspond. Ioad it to its local network ven ingesting it in the partnet the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain	ing metadata and with the corresponding er's MAM. Both types o n use in each partner's EBU		
14.45-15.15 15.15-15.45 15.45-16.45	download mechanisms and the integration with each of the par integration allows the partners to export materials out of their Nupload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material whe exchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in EBUCore MINT mapping tool  The first version was presented last year; the second version of useful.	triers' MAM systems. In the IAMs with their correspond. Ioad it to its local network ven ingesting it in the partnet the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain	ing metadata and with the corresponding er's MAM. Both types o n use in each partner's EBU		
15.15-15.45	download mechanisms and the integration with each of the parintegration allows the partners to export materials out of their Nupload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material wheexchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in EBUCore MINT mapping tool  The first version was presented last year; the second version of useful.  Tea, coffee & networking  Automated Semantic Tagging and the World Service	triers' MAM systems. In the IAMs with their correspond. In MAMs with their correspond. It is local network ven ingesting it in the partner the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain for the MINT tool is even more than Mark Flashman  Glish-language programment in using innovative data exist the site. A combination of	ing metadata and with the corresponding er's MAM. Both types o n use in each partner's  EBU  re user-friendly and  BBC  s from the BBC audio traction techniques, of automation and		
15.15-15.45	download mechanisms and the integration with each of the parintegration allows the partners to export materials out of their Nupload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material whexchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in EBUCore MINT mapping tool  The first version was presented last year; the second version of useful.  Tea, coffee & networking  Automated Semantic Tagging and the World Service Archive prototype  The World Service archive website includes around 70,000 Engarchive. The programmes have all been categorised by machinal metadata is further improved by the ways users interact with the programmes in the second service was a serv	triers' MAM systems. In the IAMs with their correspond. In MAMs with their correspond. It is local network ven ingesting it in the partner the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain for the MINT tool is even more than Mark Flashman  Glish-language programment in using innovative data exist the site. A combination of	with the corresponding er's MAM. Both types on use in each partner's  EBU  The user-friendly and  BBC  Is from the BBC audio traction techniques, of automation and archive online.		
15.15-15.45 15.45-16.45	download mechanisms and the integration with each of the parintegration allows the partners to export materials out of their Nupload it to the Nordif3 exchange platform.  In the Download Flow, a partner will choose material and down metadata, which will then be used to catalogue the material whexchange, ingest and download, are made possible regardless MAM thanks to the standardization of the shared data model in EBUCore MINT mapping tool  The first version was presented last year; the second version of useful.  Tea, coffee & networking  Automated Semantic Tagging and the World Service Archive prototype  The World Service archive website includes around 70,000 Engarchive. The programmes have all been categorised by machinal metadata is further improved by the ways users interact with crowd-sourcing has dramatically reduced the amount of time records.	triers' MAM systems. In the IAMs with their correspond. In MAMs with their correspond. It is local network wen ingesting it in the partner the different data models in Nordif3 using EBUCore.  Jean-Pierre Evain of the MINT tool is even more the MINT tool is even more using innovative data exist the site. A combination of equired to publish this rich as were as well as the site. Werner Bailer metadata set for multimediation of the site of the metadata formats. We show how existing open the site of the site	with the corresponding er's MAM. Both types on use in each partner's  EBU  The user-friendly and  BBC  Soft from the BBC audio traction techniques, of automation and archive online.  Joanneum Research or resources on the Web I CCDM and EBUCore on source		



## **MDN WORKSHOP 2013**

#### **THURSDAY 6 JUNE**

09.00-09.15	Welcome			
09.15-10-30	Embedding EBUCore metadata: Applications and Lessons Learnt	Dieter van Rijsselbergen	Limecraft	
	Recently, the EBU has supported a metadata development initiative of which the aim was to embed descrip metadata in audiovisual essence containers such that it no longer needs separate out-of-band delivery mechanisms, and as such, cannot get lost when material is exchanged between production facilities. The id if the essence arrives, so does the metadata. In practice, we have developed an open-source software development kit (SDK) that embeds EBUCore metadata in MXF essence files. In this presentation, we discute architecture and working principles of the SDK and present the lessons learnt during this process of development and its impact on standardization and vice-versa.			
10.30-11.00	Tea, coffee & networking			
11.00-12.15	Implementation of CCDM at the media integration department of the VRT: a use case	Wouter Vanderhaeghe	· VRT	
	In May 2012, the VRT has started a new media integration progrand the integrations between media systems were and will be deprinciples and patterns. CCDM was chosen as the basis of the V	eveloped accordingly to	service oriented	
	Firstly, this presentation will tackle in detail the reasons why the reach, how CCDM was implemented, and what questions and is:			
	Furthermore, the design will be discussed. The relational database model will be shown, examples of rest services will be given, and some of the events and messages in the integration system will be discussed.			
12.15-13.15	Lunch			
13.15-14.15	Representing and managing rights with MPEG-21 Media Contract Ontology	Laurent Boch	RAI	
	MPEG-21 Media Contract Ontology (ISO/IEC 21000 – part 21, shortened to MCO) aims at expressing in a semantic representation the business agreements regulating the exploitation of audio-visual works.			
	Broadcasters need to manage their owned rights for a number of reasons, such as planning transmissions, for re-use of archival content in new productions, and making trades of rights by means of sales and purchases, among others.			
	Within European project PrestoPRIME (www.prestoprime.eu) RAI contributed to the MPEG-21 Media Contract Ontology and developed a proof of concept software (named Rightsdraw and released in open-source) that can be used for creating and working on MCO documents. The main currently supported functionalities are: creation presentation and editing of MCO contracts; integration with archive services; support to rights clearance by verification of owned rights against target exploitation; support to sales and purchases activities.			
14.15-15.15	Get knowledge with the knowledge	Roger Roberts	RTBF	
	The MediaMap+ project focuses on the enhancement and enrichment of knowledge using raw media and existing metadata (flat models). The goal is to study and develop a standardized interaction protocol for industry to obtain wide content/metadata interoperability.			
	The integration of semantically meaningful media representation will facilitate novel content creation processes and exploitations. This technology opens the field of navigation within and between different segments of works. This is a radically new application that could open up new markets in many industries.			
15.15-15.45	MediaMixer: facilitating media fragments mixing and its rights management using semantic technologies	Roberto García	Universitat de Lleida	
	The MediaMixer project and community promote the use of semantic technologies for media mixing through real use cases and demos that showcase them. A typical MediaMixer demo will involve fragmenting media assets, annotating them using semantic descriptions and exposing these descriptions to customers, for fragment level search and selection. Fragments will be also linked to rights information based on a copyright ontology, which integrates licenses, policies and rights expressions based on existing standards like DDEX, ODRL or MPEG-21.			

## INFORMATION & REGISTRATION: <u>TECH.EBU.CH/MDN2013</u>